

PHP Version 5.3.3

System	Linux plesklinux37.dns26.com 2.6.32-220.2.1.el6.x86_64 #1 SMP Fri Dec 23 02:21:33 CST 2011 x86_64
Build Date	Oct 30 2014 20:10:32
Configure Command	<pre>'./configure' '--build=x86_64-redhat-linux-gnu' '--host=x86_64-redhat-linux-gnu' '--target=x86_64-redhat-linux-gnu' '--program-prefix=' '--prefix=/usr' '--exec-prefix=/usr' '--bindir=/usr/bin' '--sbindir=/usr/sbin' '--sysconfdir=/etc' '--datadir=/usr/share' '--includedir=/usr/include' '--libdir=/usr/lib64' '--libexecdir=/usr/libexec' '--localstatedir=/var' '--sharedstatedir=/var/lib' '--mandir=/usr/share/man' '--infodir=/usr/share/info' '--cache-file=../config.cache' '--with-libdir=lib64' '--with-config-file-path=/etc' '--with-config-file-scan-dir=/etc/php.d' '--disable-debug' '--with-pic' '--disable-rpath' '--without-pear' '--with-bz2' '--with-exec-dir=/usr/bin' '--with-freetype-dir=/usr' '--with-png-dir=/usr' '--with-xpm-dir=/usr' '--enable-gd-native-ttf' '--without-gdgm' '--with-gettext' '--with-gmp' '--with-iconv' '--with-jpeg-dir=/usr' '--with-openssl' '--with-pcre-regex=/usr' '--with-zlib' '--with-layout=GNU' '--enable-exif' '--enable-ftp' '--enable-magic-quotes' '--enable-sockets' '--enable-sysvsem' '--enable-sysvshm' '--enable-sysvmsg' '--with-kerberos' '--enable-ucd-snmp-hack' '--enable-shmop' '--enable-calendar' '--without-sqlite' '--with-libxml-dir=/usr' '--enable-xml' '--with-system-tzdata' '--enable-force-cgi-redirect' '--enable-pcntl' '--with-imap=shared' '--with-imap-ssl' '--enable-mbstring=shared' '--enable-mbregex' '--with-gd=shared' '--enable-bcmath=shared' '--enable-dba=shared' '--with-db4=/usr' '--with-xmlrpc=shared' '--with-ldap=shared' '--with-ldap-sasl' '--with-mysql=shared,/usr' '--with-mysqli=shared,/usr/lib64/mysql/mysql_config' '--enable-dom=shared' '--with-pgsql=shared' '--enable-wddx=shared' '--with-snmp=shared,/usr' '--enable-soap=shared' '--with-xsl=shared,/usr' '--enable-xmlreader=shared' '--enable-xmlwriter=shared' '--with-curl=shared,/usr' '--enable-fastcgi' '--enable-pdo=shared' '--with-pdo-odbc=shared,unixODBC,/usr' '--with-pdo-mysql=shared,/usr/lib64/mysql/mysql_config' '--with-pdo-pgsql=shared,/usr' '--with-pdo-sqlite=shared,/usr' '--with-sqlite3=shared,/usr' '--enable-json=shared' '--enable-zip=shared' '--without-readline' '--with-libedit' '--with-openssl=shared' '--enable-phar=shared' '--with-tidy=shared,/usr' '--enable-sysvmsg=shared' '--enable-sysvshm=shared' '--enable-sysvsem=shared' '--enable-posix=shared' '--with-unixODBC=shared,/usr' '--enable-fileinfo=shared' '--enable-intl=shared' '--with-icu-dir=/usr' '--with- enchant=shared,/usr' '--with-recode=shared,/usr'</pre>
Server API	CGI/FastCGI
Virtual Directory Support	disabled
Configuration File (php.ini)	/etc

Path

Loaded Configuration File `/var/www/vhosts/system/xxxx/etc/php.ini`

Scan this dir for additional .ini files `/etc/php.d`

Additional .ini files parsed `/etc/php.d/00-ioncube-loader.ini, /etc/php.d/curl.ini, /etc/php.d/dom.ini, /etc/php.d/fileinfo.ini, /etc/php.d/gd.ini, /etc/php.d/imap.ini, /etc/php.d/json.ini, /etc/php.d/mbstring.ini, /etc/php.d/mcrypt.ini, /etc/php.d/mysql.ini, /etc/php.d/mysqli.ini, /etc/php.d/pdo.ini, /etc/php.d/pdo_mysql.ini, /etc/php.d/pdo_sqlite.ini, /etc/php.d/phar.ini, /etc/php.d/soap.ini, /etc/php.d/sqlite3.ini, /etc/php.d/wddx.ini, /etc/php.d/xmlreader.ini, /etc/php.d/xmlwriter.ini, /etc/php.d/xsl.ini, /etc/php.d/zend_extensions_psa.ini, /etc/php.d/zip.ini`

PHP API `20090626`

PHP Extension `20090626`

Zend Extension `220090626`

Zend Extension Build `API220090626,NTS`

PHP Extension Build `API20090626,NTS`

Debug Build `no`

Thread Safety `disabled`

Zend Memory Manager `enabled`

Zend Multibyte Support `disabled`

IPv6 Support `enabled`

Registered PHP Streams `https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip`

Registered Stream Socket Transports `tcp, udp, unix, udg, ssl, sslv3, sslv2, tls`

Registered Stream Filters `zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, mcrypt.*, mdecrypt.*`

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.3.0, Copyright (c) 1998-2010 Zend Technologies
 with the ionCube PHP Loader v4.6.0, Copyright (c) 2002-2014, by ionCube Ltd.

Configuration

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bz2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.5, 10-Dec-2007

calendar

Calendar support	enabled
------------------	---------

cgi-fcgi

Directive	Local Value	Master Value
cgi.check_shebang_line	1	1
cgi.discard_path	0	0
cgi.fix_pathinfo	1	1
cgi.force_redirect	1	1
cgi.nph	0	0
cgi.redirect_status_env	<i>no value</i>	<i>no value</i>
cgi.rfc2616_headers	0	0
fastcgi.logging	1	1

Core

PHP Version	5.3.3
-------------	-------

Directive	Local Value	Master Value
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
allow_url_include	Off	Off

always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	Off	Off
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	22519	22519
exit_on_timeout	Off	Off
expose_php	Off	Off
extension_dir	/usr/lib64/php/modules	/usr/lib64/php/modules
file_uploads	On	On
highlight.bg		
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	Off	Off
ignore_repeated_errors	Off	Off

ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	::	::
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.add_x_header	On	On
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	60	60
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
max_input_vars	1000	1000
memory_limit	128M	128M
open_basedir	/var/www/vhosts/xxxx/:/tmp/	/var/www/vhosts/xxxx/:/tmp/
output_buffering	4096	4096
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	10M	10M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
register_globals	Off	Off
register_long_arrays	Off	Off
report_memleaks	On	On
report zend debug	On	On
request_order	GP	GP
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>

sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	128M	128M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.enable_gc	On	On

ctype

ctype functions enabled

curl

cURL support	enabled
cURL Information	7.19.7
Age	3
Features	
AsynchDNS	No
Debug	No
GSS-Negotiate	Yes
IDN	Yes

IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
SSPI	No
krb4	No
libz	Yes
CharConv	No
Protocols	tftp, ftp, telnet, dict, ldap, ldaps, http, file, https, ftps, scp, sftp
Host	x86_64-redhat-linux-gnu
SSL Version	NSS/3.16.2.3 Basic ECC
ZLib Version	1.2.3
libSSH Version	libssh2/1.4.2

date

date/time support	enabled
"Olson" Timezone Database Version	0.system
Timezone Database	internal
Default timezone	Europe/Paris

	Directive	Local Value	Master Value
date.default_latitude		31.7667	31.7667
date.default_longitude		35.2333	35.2333
date.sunrise_zenith		90.583333	90.583333
date.sunset_zenith		90.583333	90.583333
date.timezone		Europe/Paris	Europe/Paris

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.6
HTML Support	enabled

XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled
---------------	-------------------------

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c 293036 2010-01-03 09:23:27Z sebastian \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

fileinfo

fileinfo support	enabled
version	1.0.5-dev

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 298196 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support enabled

gd

GD Support enabled
 GD Version bundled (2.0.34 compatible)
 FreeType Support enabled
 FreeType Linkage with freetype
 FreeType Version 2.3.11
 GIF Read Support enabled
 GIF Create Support enabled
 JPEG Support enabled
 libJPEG Version 6b
 PNG Support enabled
 libPNG Version 1.2.49
 WBMP Support enabled
 XPM Support enabled
 XBM Support enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

gettext

GetText Support enabled

gmp

gmp support enabled
GMP version 4.3.1

hash

hash support enabled

md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160
ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4
Hashing tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b salsa10
Engines salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4
haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5
haval192,5 haval224,5 haval256,5

iconv

iconv support enabled
iconv implementation glibc
iconv library version 2.12

	Directive	Local Value	Master Value
iconv.input_encoding		ISO-8859-1	ISO-8859-1
iconv.internal_encoding		ISO-8859-1	ISO-8859-1
iconv.output_encoding		ISO-8859-1	ISO-8859-1

imap

IMAP c-Client Version 2007e
SSL Support enabled
Kerberos Support enabled

json

json support enabled
json version 1.2.1

libxml

libXML support	active
libXML Compiled Version	2.7.6
libXML Loaded Version	20706
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimet ypes	^(text/ application/xhtml\+x ml)	^(text/ application/xhtml\+x ml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support **enabled**

**mcrypt_filter
support****enabled**

Version 2.5.8
 Api No 20021217
 Supported ciphers cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compatible des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
 Supported modes cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mysql**MySQL Support****enabled**

Active Persistent Links 0
 Active Links 0
 Client API version 5.1.59
 MYSQL_MODULE_TYPE external
 MYSQL_SOCKET /var/lib/mysql/mysql.sock
 MYSQL_INCLUDE -I/usr/include/mysql
 MYSQL_LIBS -L/usr/lib64/mysql -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysql

Mysqll Support	enabled
Client API library version	5.1.59
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0
Client API header version	5.1.73
MYSQLI_SOCKET	/var/lib/mysql/mysql.sock

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_port	3306	3306
mysql.default_pw	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.1e-fips 11 Feb 2013
OpenSSL Header Version	OpenSSL 1.0.1e-fips 11 Feb 2013

pcntl

pcntl support	enabled
----------------------	----------------

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	7.8 2008-09-05

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, sqlite

pdo_mysql

PDO Driver for MySQL	enabled
Client API version	5.1.59

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.6.20

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Revision: 298908 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
Native OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
 Phar fully realized by Gregory Beaver and Marcus Boerger.
 Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

Reflection

Reflection	enabled
Version	\$Revision: 300393 \$

session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440

session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/var/lib/php/session	/var/lib/php/session
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

shmop

shmop support enabled

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 299424 \$
Schema support	enabled

soap

Soap Client enabled
 Soap Server enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support enabled

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

sqlite3

SQLite3 support		enabled
SQLite3 module version		0.7-dev
SQLite Library		3.6.20
Directive	Local Value	Master Value
sqlite3.extension_dir	<i>no value</i>	<i>no value</i>

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
------------------	--------------------	---------------------

assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support enabled

wddx

WDDX Support

enabled

WDDX Session Serializer

enabled

xml

XML Support active

XML Namespace Support active

libxml2 Version 2.7.6

xmlreader

XMLReader enabled

xmlwriter

XMLWriter enabled

xsl

XSL enabled
libxslt Version 1.1.26
libxslt compiled against libxml Version 2.7.6
EXSLT enabled
libexslt Version 1.1.26

zip

Zip enabled
Extension Version \$Id: php_zip.c 300470 2010-06-15 18:48:33Z pajoye \$
Zip version 1.9.1
Libzip version 0.9.0

zlib

ZLib Support enabled
Stream Wrapper support compress.zlib://
Stream Filter support zlib.inflate, zlib.deflate
Compiled Version 1.2.3
Linked Version 1.2.3

	Directive	Local Value	Master Value
	zlib.output_compression	Off	Off
	zlib.output_compression_level	-1	-1
	zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name

ionCube Loader
readline

Environment

Variable	Value
PATH	/usr/local/bin:/usr/bin:/bin
PP_CUSTOM_PHP_INI	/var/www/vhosts/system/xxxx/etc/php.ini
PP_CUSTOM_PHP_CGI_INDEX	fastcgi

PHP Variables

Variable	Value
<code>\$_SERVER["PATH"]</code>	/sbin:/usr/sbin:/bin:/usr/bin
<code>\$_SERVER["PP_CUSTOM_PHP_INI"]</code>	/var/www/vhosts/system/xxxx/etc/php.ini
<code>\$_SERVER["PP_CUSTOM_PHP_CGI_INDEX"]</code>	fastcgi
<code>\$_SERVER["FCGI_ROLE"]</code>	RESPONDER
<code>\$_SERVER["HTTP_AUTHORIZATION"]</code>	<i>no value</i>
<code>\$_SERVER["HTTP_HOST"]</code>	xxxx
<code>\$_SERVER["HTTP_USER_AGENT"]</code>	Mozilla/5.0 (Windows NT 6.0; rv:35.0) Gecko/20100101 Firefox/35.0
<code>\$_SERVER["HTTP_ACCEPT"]</code>	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
<code>\$_SERVER["HTTP_ACCEPT_LANGUAGE"]</code>	fr,fr-fr;q=0.8,en-us;q=0.5,en;q=0.3
<code>\$_SERVER["HTTP_ACCEPT_ENCODING"]</code>	gzip, deflate
<code>\$_SERVER["HTTP_DNT"]</code>	1
<code>\$_SERVER["HTTP_CACHE_CONTROL"]</code>	max-stale=0
<code>\$_SERVER["HTTP_CONNECTION"]</code>	close
<code>\$_SERVER["HTTP_X_BLUECOAT_VIA"]</code>	cad25a651aa9ff16
<code>\$_SERVER["SERVER_SIGNATURE"]</code>	<address>Apache Server at xxxx Port 80</address>

<code>_SERVER["SERVER_SOFTWARE"]</code>	Apache
<code>_SERVER["SERVER_NAME"]</code>	xxxx
<code>_SERVER["SERVER_ADDR"]</code>	84.246.225.141
<code>_SERVER["SERVER_PORT"]</code>	80
<code>_SERVER["REMOTE_ADDR"]</code>	83.137.242.22
<code>_SERVER["DOCUMENT_ROOT"]</code>	/var/www/vhosts/xxxx/httpdocs
<code>_SERVER["SERVER_ADMIN"]</code>	xxxx@xxxx.fr
<code>_SERVER["SCRIPT_FILENAME"]</code>	/var/www/vhosts/xxxx/httpdocs/phpinfos.php
<code>_SERVER["REMOTE_PORT"]</code>	55401
<code>_SERVER["GATEWAY_INTERFACE"]</code>	CGI/1.1
<code>_SERVER["SERVER_PROTOCOL"]</code>	HTTP/1.1
<code>_SERVER["REQUEST_METHOD"]</code>	GET
<code>_SERVER["QUERY_STRING"]</code>	<i>no value</i>
<code>_SERVER["REQUEST_URI"]</code>	/phpinfos.php
<code>_SERVER["SCRIPT_NAME"]</code>	/phpinfos.php
<code>_SERVER["PHP_SELF"]</code>	/phpinfos.php
<code>_SERVER["REQUEST_TIME"]</code>	1423043007

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.